

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

Revision date: 01.02.2023

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

construction chemistry

1.3. Details of the supplier of the safety data sheet

Company name:	Jackon Insulation GmbH (distributed in the UK by JACKON UK Ltd, WN2 4HR)	
Street:	Ritzlebener Straße 1	
Place:	D-39619 Arendsee	
Telephone:	+49 (0)39036 / 9 60 - 0	Telefax: +49 (0)39036 / 9 60 - 290
e-mail:	info@jackodur.com	
Internet:	www.jackon-insulation.com	

1.4. Emergency telephone number:

+49 (0)39036 / 9 60 - 0

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****CLP Regulation**

This mixture is not classified as hazardous in accordance with CLP Regulation.

2.2. Label elements**CLP Regulation****Special labelling of certain mixtures**

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Waterbased polymerdispersion.

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

Revision date: 01.02.2023

Page 2 of 8

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (CLP Regulation)			
2634-33-5	1,2-benzisothiazol-3(2H)-one			< 0,036 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0,0015 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0,036 %
	oral: LD50 = 1020 mg/kg Skin Sens. 1; H317: >= 0,05 - 100		
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0,0015 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 50 mg/kg; oral: LD50 = 53 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 M acute; H400: M=100 M chron.; H410: M=100		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

If experiencing respiratory symptoms: Provide fresh air.

After contact with skin

Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap. Change contaminated, saturated clothing.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water, Foam, Carbon dioxide (CO2)

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

Revision date: 01.02.2023

Page 3 of 8

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Special danger of slipping by leaking/spilling product. Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**Other information**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

No special handling advices are necessary.

Advice on protection against fire and explosion

No special handling advices are necessary.

Advice on general occupational hygiene

Avoid contact with eyes and skin. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Unsuitable container/equipment material:

Aluminium, Copper, Alloy, containing copper

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Store frost-free.

7.3. Specific end use(s)

construction chemistry

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

Revision date: 01.02.2023

Page 4 of 8

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls**Individual protection measures, such as personal protective equipment****Eye/face protection**

Eye glasses with side protection

Hand protection

Wear suitable gloves.

Skin protection

Wear suitable protective clothing. Take off contaminated clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. During spraying wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	milky white
Odour:	characteristic

Changes in the physical state

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	(Wasser) 100 °C
Flash point:	not determined

Flammability

Solid/liquid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

Self-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

pH-Value (at 20 °C):	ca. 8
----------------------	-------

Water solubility:	completely miscible
-------------------	---------------------

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:	not determined
--	----------------

Vapour pressure:	not determined
------------------	----------------

Density (at 20 °C):	1 g/cm ³
---------------------	---------------------

Relative vapour density:	not determined
--------------------------	----------------

9.2. Other information**Information with regard to physical hazard classes**

Oxidizing properties

Not oxidising.

Other safety characteristics

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

Revision date: 01.02.2023

Page 5 of 8

Solid content: not determined
 Evaporation rate: not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in CLP Regulation

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one				
	oral	LD50 mg/kg	1020	Rat	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	oral	LD50	53 mg/kg	Rat	
	dermal	ATE	50 mg/kg		
	inhalation vapour	ATE	0,5 mg/l		
	inhalation dust/mist	ATE	0,05 mg/l		

Additional information on tests

This mixture is classified as not hazardous according to Regulation (EC) No 1272 (2008)

Practical experience

This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

Revision date: 01.02.2023

Page 6 of 8

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080120 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Non-contaminated packages may be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)**14.1. UN number or ID number:**

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)**14.1. UN number or ID number:**

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:**

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

Revision date: 01.02.2023

Page 7 of 8

Other applicable information

No dangerous good in sense of these transport regulations.
Transport frost-free.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):
Entry 75

Additional information

To follow: (EU) 2019/102, (EG) 1107/2009, (EU) 649/2012

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

Toxic if swallowed.
Harmful if swallowed.
Fatal in contact with skin.
Causes severe skin burns and eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Fatal if inhaled.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Corrosive to the respiratory tract.
Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

JACKON / JACKOBOARD / Qboard Abdichtungsset - Komponente B

Revision date: 01.02.2023

Page 8 of 8

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)